




令和7年度 フェロモントラップ調査結果(ヨトウガ)

※調査データはグラフの下にあります。



調査データ

地帯区分		中東部			北西部			北西部		
設置場所		世羅町山中福田			北広島町木次			安芸高田市高宮町		
周辺作物		ねぎ			キャベツ			ねぎ		
月	半旬	本年	平均(7年)	前年	本年	平均(9年)	前年	本年	平均(4年)	前年
4月	1	0	0.8	1.9	2.5	2.7	1.7	0.2	3.4	8.0
	2	0	2.1	1.1	1.6	2.5	3.0	1.1	0.8	0
	3	0	4.8	0.0	0.9	4.7	8.3	1.0	3.5	0
	4	0	17.9	0.0	0	5.5	11.4	1.9	4.0	2.1
	5	0	18.3	2.1	9.0	6.4	10.6	4.8	3.4	0.9
	6	0	22.6	2.9	1.7	5.6	9.3	0	7.5	0
5月	1	0	28.0	1.6	7.7	8.2	6.4	1.0	5.0	0
	2	0	19.3	2.1	11.2	8.5	5.9	0.2	4.9	1.1
	3	0	18.3	2.0	12.5	11.3	4.9	1.0	4.6	1.4
	4	0	15.2	1.9	11.6	11.1	3.6	0.8	4.5	1.4
	5	3.0	14.0	1.7	7.9	8.3	2.5	2.0	4.3	4.3
	6	4.3	13.0	3.9	2.4	7.5	1.9	0	4.0	1.7
6月	1	1.7	6.8	2.0	1.5	3.5	0.6	0	2.9	0
	2	0	4.9	0.8	0.7	2.1	0.1	0	3.2	0
	3	0	3.6	0.0	1.1	1.3	0.7	0	2.8	0
	4	0.4	2.6	0.0	2.9	0.9	1.5	0.6	2.4	0.4
	5	0.7	2.8	0.1	5.0	0.9	2.2	1.4	2.1	0.6
	6	0.7	0.9	0.7	1.0	1.2	1.5	0.3	1.2	1.1
7月	1	0.1	0.7	0.7	0	1.8	3.0	0.3	0.6	0.6
	2	0	0.9	0.7	0	1.4	0.7	0.3	0.4	0.3
	3	0	0.1	0.6	0	0.9	0.3	0.2	0.5	0
	4	0	0.0	0.1	0	0.4	0	0.1	0.6	0
	5	0	0.0	0.0	0	0.3	0	0.5	1.2	0.7
	6	0	0.0	0.0	0	0.2	0	0.6	2.1	0.3
8月	1	0	0.8	0.0	0	0.5	0	0.5	0.2	0.3
	2	0	0.4	0.0	0	2.9	0	0.4	0.2	0.7
	3	0	0.1	0.4	0	4.2	0.3	0	0	0
	4	0	0.1	1.0	0.7	3.3	0.8	0	0.3	0.4
	5	0	0.3	2.1	3.3	3.6	0.8	0	0.2	0.6
	6	0	0.2	1.1	0	2.7	0	0	0.2	0
9月	1	0	0.6	0.7	1.3	3.7	0.7	1.3	0.4	0
	2	0	1.6	0.6	3.0	5.2	0.3	6.4	1.5	0
	3	0	0.7	0.0	3.9	6.6	0.3	21.3	1.5	0.1
	4	0	0.8	0.0	10.8	4.9	1.7	25.0	1.6	0.7
	5	0.1	0.9	0.3	5.0	4.2	5.0	18.3	0.3	0.7
	6	0.6	0.7	0.6	4.3	2.1	0.8	16.7	0.2	0.7
10月	1	0.3	1.2	0.1	4.7	4.1	2.2	16.7	0.2	0.7
	2	0.3	1.6	0.0	3.3	4.8	3.0		0.2	0.6
	3	0.6	0.8	0.0		1.3	2.0		0.1	0.4
	4		0.2	0.0		0.5	0		0	0
	5		0.1	0.0		0.2	0		0	0
	6		0.0	0.0		0	0		0	0